



**Transfar
Chemicals**

Safety Data Sheet (SDS)

COCAMIDOPROPYL HYDROXYSULTAINE CHSB-35

According to GB/T 16483, GB/T 17519, GHS

Version:5.1

SDS No.: SDS/CHSB-35

Revision date: 2023.1.1

Section 1 Chemical product and company identification

1.1 Product identifier

| | |
|-------------------|--|
| Product name(ENG) | COCAMIDOPROPYL HYDROXYSULTAINE CHSB-35 |
| Product name(CHN) | 椰油酰胺丙基羟磺基甜菜碱 CHSB-35 |

1.2 Details of the supplier of the safety data sheet

| | |
|-------------------------|--|
| Registered company name | Transfar Zhilian Co.,Ltd. |
| Address | Xiaoshan Economy & Technology Development Zone, Hang Zhou, Zhejiang, China |
| Telephone | 0571-83781255 |
| Fax | 0571-82694738 |
| Website | www.transfarchem.com |
| Email | gftch@etransfar.com |

1.3 Emergency telephone number

| | |
|-----------------------------------|----------------------------|
| Emergency telephone numbers | 0571-83781255 (8:00-17:00) |
| Other emergency telephone numbers | 0532-83889090 (NRCC) |

1.4 Relevant identified uses of the substance or mixture and uses advised against

| | |
|--------------------------|--|
| Relevant identified uses | Suitable for all kinds of laundry liquid, shampoo, bath lotion, facial cleanser, and household detergent, and also suitable for use as detergent, thickener, and antistatic agent. |
|--------------------------|--|

Section 2 Hazards identification

2.1 Summary of hazard in an emergency situation

| |
|---------------------------|
| Liquid. Mixes with water. |
|---------------------------|

2.2 Classification of hazards

| | |
|----------------|---|
| Classification | <ul style="list-style-type: none">● Eye Irritation Category 2A● Hazardous to the Aquatic Environment Long-Term Hazard Category 3,● Hazardous to the Aquatic Environment Acute Hazard Category 2 |
|----------------|---|

2.3 Label elements

| | |
|--------------------|---|
| GHS label elements |  |
| SIGNAL WORD | WARNING |

2.4 Hazard statement(s)

| | |
|------|--|
| H319 | Causes serious eye irritation |
| H412 | Harmful to aquatic life with long lasting effects. |
| H401 | Toxic to aquatic life. |



2.5 Precautionary statements

Precautions

| | |
|-------------|---|
| P280 | Wear protective gloves/protective clothing/eye protection/face protection |
| P264 | Wash all exposed external body areas thoroughly after handling. |
| P273 | Avoid release to the environment. |

Incident response

| | |
|-----------------------|--|
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P337+P313 | If eye irritation persists: Get medical advice/attention. |

Safe storage

Not Applicable

Waste disposal

Not Applicable

2.6 Physical and Chemical Hazard

Liquid. Mixes with water. Toxic smoke/fumes in a fire.

2.7 Health Hazards

| | |
|---------------------|--|
| Inhaled | The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. |
| Ingestion | Ingestion of the material may be damaging to the health of the individual. |
| Skin Contact | This material can cause inflammation of the skin on contact in some persons. Open cuts, abraded or irritated skin should not be exposed to this material. |
| Eye | This material can cause eye irritation and damage in some persons. |

2.8 Environmental Hazards

See Section 12

2.9 Other hazards

Cumulative effects may result following exposure.

Section 3 Composition/information on ingredients

3.1 Chemical properties

Mixture

3.2 Composition Information

| CAS No. | %[weight] | Name |
|---------|-----------|------|
|---------|-----------|------|



| | | |
|------------|-----------|--------------------------------|
| 68139-30-0 | 28.0-32.0 | COCAMIDOPROPYL HYDROXYSULTAINE |
| 7647-14-5 | 3.0-8.0 | SODIUM CHLORIDE |
| 7732-18-5 | 63.0-67.0 | WATER |

Section 4 First aid measures

4.1 Description of first aid measures

| | |
|---------------------|--|
| Eye Contact | <p>If this product comes in contact with the eyes:</p> <ul style="list-style-type: none">● Wash out immediately with fresh running water.● Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.● Seek medical attention without delay; if pain persists or recurs seek medical attention.● Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |
| Skin Contact | <p>If skin contact occurs:</p> <ul style="list-style-type: none">● Immediately remove all contaminated clothing, including footwear.● Flush skin and hair with running water (and soap if available).● Seek medical attention in event of irritation. |
| Inhalation | <ul style="list-style-type: none">● If fumes, aerosols or combustion products are inhaled remove from contaminated area.● Other measures are usually unnecessary. |
| Ingestion | <ul style="list-style-type: none">● Immediately give a glass of water.● First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. |

4.2 Advise for rescue team (PPE requirement for rescue personnel)

Wear portable respiratory protective devices if get into the scene of the accident.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Section 5 Firefighting measures

5.1 Extinguishing media

| | |
|--------------------------|--|
| Fire extinguisher | <ul style="list-style-type: none">● Water spray or fog.● Foam.● Dry chemical powder.● BCF (where regulations permit).● Carbon dioxide. |
|--------------------------|--|

5.2 Special hazards arising from the substrate or mixture

| | |
|-----------------------------|--|
| Fire Incompatibility | |
|-----------------------------|--|

5.3 Advice for firefighters



| | |
|------------------------------|--|
| Fire Fighting | <ul style="list-style-type: none">● Alert Fire Brigade and tell them location and nature of hazard.● Wear full body protective clothing with breathing apparatus.● Prevent, by any means available, spillage from entering drains or water course.● Use water delivered as a fine spray to control fire and cool adjacent area.● DO NOT approach containers suspected to be hot.● Cool fire exposed containers with water spray from a protected location.● If safe to do so, remove containers from path of fire. |
| Fire/Explosion Hazard | <ul style="list-style-type: none">● Combustion products include: Carbon dioxide (CO₂), Other pyrolysis products typical of burning organic material May emit corrosive fumes. |

Section 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

| | |
|---------------------|--|
| Minor Spills | <ul style="list-style-type: none">● Clean up all spills immediately.● Avoid contact with skin and eyes, by using protective equipment.● Collect the leakage, place in a suitable, labelled container for waste disposal. |
| Major Spills | <ul style="list-style-type: none">● Alert Fire Brigade and tell them location and nature of hazard.● Use protective equipment to avoid contact with skin and eyes● Contain spill with sand, earth or vermiculite.● Collect recoverable product into labelled containers for recycling.● Collect residues and seal in labelled drums for disposal.● If contamination of drains or waterways occurs, advise emergency services. |

Personal Protective Equipment advice is contained in Section 8 of the SDS.

6.2 Measures for Preventing Secondary Contamination

Refer to section above

6.3 Environmental precautions

See section 12

Section 7 Handling and storage

7.1 Precautions for safe handling

| | |
|----------------------|--|
| Safe handling | <ul style="list-style-type: none">● Avoid all personal contact, including inhalation.● Wear protective clothing when risk of exposure occurs.● Use in a well-ventilated area.● Prevent concentration in hollows and sumps.● DO NOT enter confined spaces until atmosphere has been checked.● Avoid smoking, naked lights or ignition sources. |
|----------------------|--|



| | |
|--------------------------|---|
| | <ul style="list-style-type: none"> ● Avoid contact with incompatible materials. ● When handling, DO NOT eat, drink or smoke. ● Keep containers securely sealed when not in use. ● Avoid physical damage to containers. ● Always wash hands with soap and water after handling. ● Work clothes should be laundered separately. ● Use good occupational work practice. ● Observe manufacturer's storage and handling recommendations contained within this SDS. ● Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions. |
| Other information | <ul style="list-style-type: none"> ● Store in original containers. ● Keep containers securely sealed. ● No smoking, naked lights or ignition sources. ● Store in a cool, dry, well-ventilated area. ● Store away from incompatible materials and foodstuff containers. ● Protect containers against physical damage and check regularly for leaks. ● Observe manufacturer's storage and handling recommendations contained within this SDS. |

7.2 Conditions for safe storage, including any incompatibilities

| | |
|--------------------------------|--|
| Suitable container | <ul style="list-style-type: none"> ● Metal can, plastic tank or drum ● Packaging as recommended by manufacturer. ● Check all containers are clearly labelled and free from leaks. |
| Storage incompatibility | |

Section 8 Exposure controls/personal protection

8.1 Control parameters

8.1.1 Occupational exposure limits (OEL)

Ingredient data

Not Available

Emergency limits

Not Available

8.2 Exposure controls

| | |
|---|--|
| Appropriate engineering controls | <p>Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. General exhaust is adequate under normal operating conditions. Local exhaust ventilation may be required in specific circumstances. If risk of overexposure exists, wear approved respirator. Correct fit is essential to obtain adequate protection. Provide adequate ventilation in warehouse or closed storage areas. Air contaminants generated in the workplace possess varying "escape" velocities which, in</p> |
|---|--|



| | |
|--------------------------------|---|
| | turn, determine the "capture velocities" of fresh circulating air required to effectively remove the contaminant. Process controls which involve changing the way a job activity or process is done to reduce the risk. |
| Personal protection |  |
| Eye and face protection | <ul style="list-style-type: none"> ● Safety glasses with side shields. ● Chemical goggles. |
| Skin protection | See Hand protection below |
| Hands/feet protection | <ul style="list-style-type: none"> ● Wear chemical protective gloves, e.g. PVC. ● Wear safety footwear or safety gumboots, e.g. Rubber |
| Body protection | See Other protection below |
| Other protection | <ul style="list-style-type: none"> ● Overalls. ● P.V.C. apron. ● Eye wash unit. |
| Thermal hazards | Not Available |

Section 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|---|----------------------------------|
| Appearance | Colorless to light yellow liquid |
| Odour | Slight odour |
| Odour threshold | No data available |
| pH as a solution | 6.0-8.0 |
| Melting point / freezing point (°C) | No data available |
| Initial boiling point and boiling range (°C) | No data available |
| Flash point (°C) | No data available |
| Flammability | Not Applicable |
| Upper Explosive Limit (%) | No data available |
| Lower Explosive Limit (%) | No data available |
| Explosive properties | Not explosive |
| Vapour pressure (kPa) | No data available |
| Vapour density (Air = 1) | No data available |
| Relative density (Water = 1) | No data available |
| Solubility in water (g/L) | Miscible |
| Partition coefficient n-octanol / water | No data available |
| Auto-ignition temperature(°C) | No data available |
| Decomposition temperature(°C) | No data available |



**Transfar
Chemicals**

Safety Data Sheet (SDS)

COCAMIDOPROPYL HYDROXYSULTAINE CHSB-35

According to GB/T 16483, GB/T 17519, GHS

Version:5.1

SDS No.: SDS/CHSB-35

Revision date: 2023.1.1

| | |
|--------------------------|-------------------|
| Critical temperature(°C) | No data available |
| Critical pressure(kPa) | No data available |
| Combustion heat | No data available |
| Evaporation rate | No data available |
| Viscosity (mPa • s) | No data available |
| VOC(g/L) | No data available |

Section 10 Stability and reactivity

| | |
|------------------------------------|---|
| Reactivity | See section 7 |
| Chemical stability | <ul style="list-style-type: none">● Product is considered stable.● Hazardous polymerisation will not occur |
| Possibility of hazardous reactions | See section 7 |
| Conditions to avoid | See section 7 |
| Incompatible materials | See section 7 |
| Hazardous decomposition products | See section 5 |

Section 11 Toxicological information

| | |
|--|-------------------------|
| Acute oral toxicity LD50 | No data available |
| Acute dermal toxicity LD50 | No data available |
| Acute inhalation toxicity LC50 | No data available |
| Skin corrosion /irritation | No data available |
| Eye damage/ irritation | Eye damage: Category 2A |
| Respiratory or skin sensitization | No data available |
| Germ cell mutagenicity | No data available |
| Reproductive toxicity | No data available |
| STOT – single exposure | No data available |
| STOT - repeated exposure | No data available |
| Aspiration toxicity | No data available |
| Carcinogenicity assessment carcinogenicity | No data available |

Section 12 Ecological information

| | |
|-----------------------------|-------------------|
| Acute aquatic toxicity LC50 | No data available |
|-----------------------------|-------------------|



| | |
|---|-------------------|
| Acute aquatic toxicity EC50 | No data available |
| Acute aquatic toxicity ErC50 | No data available |
| Aquatic toxicity IC50 | No data available |
| Chronic toxicity to fish | No data available |
| Chronic toxicity to aquatic invertebrates | No data available |
| Degradability | No data available |
| COD | No data available |
| BOD | No data available |
| Persistence | No data available |
| Bioaccumulative potential | No data available |
| Mobility in soil | No data available |

Section 13 Disposal considerations

| | |
|--------------------------------|---|
| Waste chemicals | <ul style="list-style-type: none">● Treatment must be in accordance with applicable Federal, State/Provincial, and Local regulations● Recycle as much as possible, try to avoid and reduce waste● DO NOT discharge the waste into drains |
| Contaminated packing materials | <ul style="list-style-type: none">● Packaging may contain residual chemicals, Treatment must be in accordance with applicable Federal, State/Provincial, and Local regulations● Recycle or reuse of cleaned materials should be in accordance with applicable Federal, State/Provincial, and Local regulations |
| Precautions for Transport | <ul style="list-style-type: none">● Attentions of operation, treatment and precautions of workers should be referred to the content of section 7 and section 8 |

Section 14 Transport information

| | |
|------------------------------------|--|
| Land transport (UN) | --- |
| Air transport (ICAO-IATA / DG) | --- |
| Sea transport (IMDG-Code / GGVSee) | --- |
| Transport patterns | Sea transport、railway transport、road transport |
| Cautions during transport | Do not leak, avoid water |

Section 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture



**Transfar
Chemicals**

Safety Data Sheet (SDS)

COCAMIDOPROPYL HYDROXYSULTAINE CHSB-35

According to GB/T 16483, GB/T 17519, GHS

Version:5.1

SDS No.: SDS/CHSB-35

Revision date: 2023.1.1

| | |
|---|---|
| Cocamidopropyl Hydroxysultaine (68139-30-0) | China Inventory of Existing Chemical Substances |
| Sodium Chloride (7647-14-5) | China Inventory of Existing Chemical Substances |
| Aqua (7732-18-5) | China Inventory of Existing Chemical Substances |

Section 16 Other information

Disclaimer

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

The information in the SDS applies only for the specified product and does not include mixtures of this product with other substances and mixtures. The SDS provides product safety information for personnel trained to use this product only.